### **PCT**

# WORLD INTELLECTUAL PROPERTY ORGANIZATION International Bureau



## INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

(51) International Patent Classification 5: C12Q 1/26, 1/54, 1/00, C12N 9/96	A1	<ul><li>(11) International Publication Number:</li><li>(43) International Publication Date:</li></ul>	WO 95/00662 5 January 1995 (05.01.95)
21) International Application Number: PCT/US! 22) International Filing Date: 21 June 1994 (2)		CH, DE, DK, ES, FR, GB, GR	Z. European natent (AT RE
30) Priority Data: 08/080,263 21 June 1993 (21.06.93)	U	Published	
71) Applicant: BOEHRINGER MANNHEIM CORPOR [US/US]; 9115 Hague Road, P.O. Box 50528, India IN 46250 (US).	kATIOI anapoli	<b>1</b>	
72) Inventor: BATESON, Joseph, E.; 14817 Senator Way, IN 46032 (US).	Carme	,	•
74) Agent: YOUNG, D., Michael, P.O. Box 50528, 9115 Road, Indianapolis, IN 46250 (US).	5 Hagu	,	

#### (57) Abstract

The inclusion of succinic acid or a salt thereof to stabilize compositions that include glucose oxidase and/or ferricyanide. Typically, the succinic acid or succinic acid salt is included in a diagnostic reagent utilized in test strips or test solutions useful for the analysis of glucose from a fluid sample.

## FOR THE PURPOSES OF INFORMATION ONLY

Codes used to identify States party to the PCT on the front pages of pamphlets publishing international applications under the PCT.

	•			
Austria	GB	United Kingdom		Mauritania
Australia	GE	Georgia	MW	Malawi
Barbados	GN	Guinea	NE	Niger
Belgium	GR	Greece	NL	Netherlands
Burkina Paso	HŲ	Hungary	NO	Norway
Bulgaria	Œ	Ireland	NZ	New Zealand
Benin	Π	Italy	PL.	Poland
Brazil	JP	Japan	PT	Portugul
Belarus	KE	Kenya	RO	Romania
Canada	KG	Kyrgystan	RU	Russian Federation
Central African Republic	KP	Democratic People's Republic	SD	Sudan
-		of Korea	SE	Sweden
Switzerland	KR	Republic of Korea	SI	Slovenia
Côte d'Ivoire	K2	Kazakhstan	SK	Slovakia .
Cameroon	LI	Liechtenstein	SN	Senegal
China	LK	Sri Lanka	TD	Chad
Czechosłovakia	LU	Luxembourg	TG	Togo
Czech Republic	LV	Latvia	TJ	Tajikistan
Germany	MC	Monaco	TT	Trinidad and Tobago
Denmark	MD	Republic of Moldova	UA	Ukraine
Spain	MG	Madagascar	US	United States of America
Finland	ML	Mali .	UZ	Uzbekistan
•	MN	Mongolia	VN	Vict Nam
		-		
	Australia Barbados Belgium Burkina Paso Bulgaria Benin Brazil Betarus Canada Central African Republic Congo Switzerland Côte d'Ivoire Cameroon China Czechoslovakia Czech Republic Germany Denmark Spain	Australia GE Barbados GN Belgium GR Burkina Faso HU Bulgaria IE Benin IT Brazil JP Belarus KE Canada KG Central African Republic KP Congo Switzerland KR Côte d'Ivoire K2 Cameroon LI China LK Czechoslovakia LU Czech Republic LV Germany MC Demmark MD Spain MG Finland ML France MN	Australia GE Georgia Barbados GN Guinea Belgium GR Greece Burkina Faso HU Hungary Bulgaria IE Ireland Benin IT Italy Brazil JP Japan Belarus KE Kenya Canada KG Kyrgystan Central African Republic KP Democratic People's Republic of Korea Switzerland KR Republic of Korea Côte d'Ivoire KZ Kazakhstan Cameroon LJ Liechtenstein China LK Sri Lanka Czechoslovakia LU Luxembourg Czech Republic LY Latvia Germany MC Monaco Demmark MD Republic of Moldova Spain MG Madagacax Finland ML Mall France MN Mongolia	Australia         GE         Georgia         MW           Barbados         GN         Guinea         NE           Belgium         GR         Greece         NL           Bulgaria         BU         Hungary         NO           Bulgaria         IE         Ireland         NZ           Benin         IT         Italy         PL           Brazil         JP         Japan         PT           Brazil         JP         Japan         PT           Belarus         KE         Kenya         RO           Canada         KG         Kyrgystan         RO           Canada         KG         Kyrgystan         RU           Central African Republic         KP         Democratic People's Republic         SD           Congo         of Korea         SE           Switzerland         KR         Republic of Korea         SI           Cote d'Ivoire         KZ         Kzazhkstan         SK           Cameroon         LJ         Liechtenstein         SN           China         LK         Sr Lanka         ID           Czechoslovakia         LU         Luxembourg         TG           Czech Republ

### DIAGNOSTIC REAGENT STABILIZER

#### Field of the Invention

This invention relates to the stabilization of compositions that include glucose oxidase and/or ferricyanide.

### Background of the Invention

Compositions, such as diagnostic reagent compositions, that include glucose oxidase or ferricyanide have poor stability due to the tendency for glucose oxidase and ferricyanide to degrade.

Succinic acid and some salts of succinic acid have been used in the following references as a stabilizing agent (stabilizing, for example, a detergent composition) or a chelating agent:

Boskamp, U.S. Patent No. 4,532,064, issued July 30, 1984;

Thomas, International Patent Application Publication

No. WO 86/04610, published August 14, 1986;

Ramachandran et al., U.S. Patent No. 4,900,475, issued February 13, 1990;
 Dormal et al., U.S. Patent No. 4,529,525, issued July 16, 1985;
 Denney, European Patent Specification EP O 072 581 B1,
 issued April 8, 1987; JP 63202381, published August 22, 1988; and
 JP 57138389, published August 26, 1982.

None of these references discloses the use of succinic acid or a salt thereof to stabilize an aqueous or dried reagent that includes glucose oxidase and/or ferricyanide.

#### Summary of the Invention

25

The invention is a stable composition of matter useful as a diagnostic reagent for the analysis of glucose from a fluid sample and a process for stabilizing compositions that include glucose oxidase and/or ferricyanide.

The invention is based upon the surprising result that the inclusion of succinic acid or a salt thereof will stabilize a composition that includes glucose oxidase and/or ferricyanide.

25

Preferably, the succinic acid or a salt thereof is disodium succinate, which is utilized in a diagnostic reagent useful for the analysis of glucose in a biosensor. The reagent is preferably made up in an aqueous slurry that includes glucose oxidase, potassium phosphate (buffer), potassium ferricyanide (a redox mediator), a dispersant and crystallization inhibitor, such as AVICEL RC - 591F, which is a blend of 88% microcrystalline cellulose and 12% sodium carboxymethylcellulose, a small amount of hydroxyethylcellulose, a surfactant (such as TRITON X-100 surfactant, which includes various polyoxyethylene ethers), and water. After mixing, the resulting slurry may be coated onto the surface of working and counter electrodes in an electrochemical biosensor, dried, and subsequently utilized in the measurement of glucose from a fluid sample, as described herein.

More broadly, succinic acid or a salt thereof may stabilize other compositions of matter that include either glucose oxidase and/or ferricyanide, such as various kinds of glucose test reagents that utilize either glucose oxidase and/or ferricyanide.

#### Brief Description of the Drawings

- Fig. 1 is a schematic top view of a biosensor which may utilize the stable composition of the present invention.
- Fig. 2 is a schematic elevation of the biosensor of Fig. 1 along lines 2-2, and including the stable composition of the present invention and a cover mesh.
  - Fig. 3 is a schematic top view of the biosensor of Fig. 2.

### Description of the Invention

A specific embodiment of the present invention will first be described.

This specific embodiment utilizes a reagent that has been made more stable

by the inclusion of disodium succinate. A protocol for making the reagent is as follows:

- Step 1. Prepare 1 liter (in a volumetric flask) of a buffer/NATROSOL mixture by adding 1.2 grams (g) hydroxyethylcellulose (sold under the mark NATROSOL 250 M NF, available from Aqualon Company) to 0.74 molar (M) aqueous potassium phosphate and 26.4 g dibasic potassium phosphate at pH 6.25. Allow the buffer/NATROSOL mixture to stir and swell for 3 hours. 10 Step 2 -Prepare an AVICEL mixture by stirring 14 g AVICEL RC-591F dispersant and crystallization inhibitor (available from FMC Corporation) and 504.8 g water for 20 minutes. Prepare a TRITON mixture by adding 0.5 g TRITON X-Step 3 -100 surfactant to 514.6 g of the buffer/NATROSOL 15 mixture and stir for 15 minutes. Step 4 -While stirring, add the total TRITON mixture dropwise with a dropwise addition funnel or buret to the total AVICEL mixture. Once addition is complete, continue stirring 20 overnight. To the mixture resulting from Step 4, add, while stirring, Step 5 -98.8 g potassium ferricyanide. (Add a little potassium ferricyanide at a time to allow the potassium ferricyanide to dissolve as added.)
- Step 6 Stir the resulting mixture of Step 5 for 20 minutes.
  - Step 7 Adjust the pH of the mixture resulting from Step 6 to 6.25

20

25

by adding potassium hydroxide.

- Step 8 To the resulting mixture of Step 7, add 9.2 g glucose oxidase (218.5 ortho-dianisidine units per milligram (mg) from Biozyme) and stir at least 20 minutes.
- Step 9 To the resulting mixture of Step 8, add 10 g (37 millimoles (mmol)) disodium succinate hexahydrate and stir at least 20 minutes.
- Step 10 Filter the resulting mixture of Step 9 through a 100 micron sieve bag to remove any AVICEL clumping. The filtrate is the resulting reagent composition 11 (see Fig.2), which is added to the electrode surfaces of the electrochemical biosensor, described below, and is then dried. (Before drying, this composition is 0.37 molar in phosphate buffer. A more preferred formulation is made 0.25 molar in phosphate buffer. The final activity of glucose oxidase in the composition is preferably 1.57 tetramethylbenzidine

(TMB) megaunits per liter of composition before drying.)

Referring to FIGS. 1 through 3, biosensor 1 comprises first and second electrically insulating layers 2 and 3, respectively. Any useful insulating material will be suitable. Typically, plastics, such as vinyl polymers and polyimides provide the electrical and structural properties which are desired.

The biosensor shown in FIGS. 1 through 3 is intended to be mass produced from rolls of material, necessitating the selection of a material which

20

25

is sufficiently flexible for roll processing and at the same time sufficiently stiff to give a useful stiffness to the finished biosensor.

Layers 2 and 3 may be of any useful thickness. In a preferred embodiment, layer 2 is about 360 microns thick and layer 3 is about 250 microns thick.

Working electrode 4 and counter electrode 5 are preferably deposited on a backing of insulator material 7, such as polyimide, to reduce the possibility of tearing the electrode before it is affixed to layer 2. Working electrode 4 and counter electrode 5 are substantially the same size and are made of the same electrically conducting material. Examples of electrically conducting materials that may be used are palladium, platinum, gold, silver, carbon, titanium, and copper. Noble metals are preferred because they provide a more constant, reproducible electrode surface area. Palladium is particularly preferred because it is one of the more difficult noble metals to oxidize and because it is a relatively inexpensive noble metal. Silver is not preferred because it is more readily oxidized by air than the other noble metals listed above. Preferably, electrodes 4 and 5 are about 0.1 micron thick and backing 7 is about 25 microns thick (commercially available from Courtalls-Andus Performance Films in California and Southwall Technologies, Inc.) (Fig 2).

Electrodes 4 and 5 must be sufficiently separated so that the electrochemical events at one electrode do not interfere with the electrochemical events at the other electrode. The preferred distance between electrodes 4 and 5 is about 1.2 millimeters (mm).

In the preferred embodiment, electrodes 4 and 5, affixed to backing 7, are unspooled from reels and attached to layer 2 by the use of hot melt

15

20

25

adhesive (not shown). Electrodes 4 and 5 also preferably extend from one end of layer 2 to the other end in parallel configuration. (Fig. 1)

Insulating layer 3 is fixed on top of layer 2 and electrodes 4 and 5 by the use of hot melt adhesive (not shown). Layer 3 includes cutout portion 8, which defines reagent well 9 and exposes substantially equal surface areas 10 of electrodes 4 and 5. In the preferred embodiment, cutout 8 is 4 mm by 6 mm and electrodes 4 and 5 are each 1.5 mm in width. Therefore a surface area of about 6 mm² is exposed for each of the two electrodes.

Biosensor 1 also includes a power source (not shown) in electrical connection with the working and counter electrodes and a current measuring meter (not shown) which is also in electrical connection with the working and counter electrodes.

Biosensor reagent 11 (Fig. 2) is placed in well 9 so that it covers substantially all of exposed surfaces 10 of electrodes 4 and 5 and preferably covers the exposed surface of layer 2 between the electrodes.

In the embodiment described above, which is useful for glucose determination from a fluid sample, 6 microliters ( $\mu$ I) of reagent 11 made by the above-stated protocol is added to well 9 formed by cutout 8. This amount of reagent 11 will substantially cover surface areas 10 on both electrodes (Figs. 1 and 2) and will also contain a sufficient amount of reagent to perform an assay for glucose (described below).

Reagent 11 is then dried by heating at about 50° C for about 3 minutes. Drying removes at least about 90% of the water content of the reagent, thereby resulting in a dried reagent.

After drying, a polyester or nylon mesh 13 (Figs. 2 and 3) is preferably placed on top of the dried reagent to aid in preventing loss of reagent from

20

25

the biosensor during shipping and handling and to aid in minimizing human contamination from the reagent. Mesh 13 is affixed to the biosensor by adhesive tape 14, which includes hole 15. (Figs 2. and 3) Hole 15 is the target area for adding a sample containing an analyte, such as glucose, to be measured by the biosensor. (Fig. 3)

After drying the reagent and affixing the mesh, the roll-formed biosensors are separated by die punching to form discrete biosensors, which are used in conjunction with a power source (i.e., a battery) in electrical connection with the working and counter electrodes and a meter for measuring electrical current.

The meter referred to above will normally be adapted to apply an algorithm to the current measurement, whereby an analyte concentration is provided and visually displayed. Improvements in such a power source and meter are the subject of commonly assigned U.S. Patent Number 4,963,814 issued October 16, 1990, U.S. Patent No. 4,999,632, issued March 12, 1991, U.S. Patent No. 4,999,582, issued March 12, 1991, and U.S. Patent Application Serial No. 07/451,305 (filed December 15, 1989; Notice of Allowance issued April 19, 1993), the disclosures of which are hereby incorporated by reference.

For easy electrical connection of the power source and meter, additional cutout portion 12 (Figs. 1 through 3), exposing portions of the working and counter electrodes, is preferably provided in the biosensor device.

The biosensor setup described above including the reagent, may be used in conjunction with the power source and meter to measure glucose from a fluid sample, such as a blood sample.

25

When a blood sample (20 microliters ( $\mu$ I) is sufficient) is added to reagent well 9, the reagent 11 is rehydrated, thereby solubilizing potassium ferricyanide, glucose oxidase (GOD), potassium phosphate buffer, disodium succinate and surfactant. If glucose is present in the blood sample, the following chemical reaction occurs:

GOD
glucose + ferricyanide -----> gluconic acid + ferrocyanide.

An incubation period (20 seconds is sufficient) for this reaction is allowed in order to let this reaction proceed to an end point, thereby building up a significant amount of ferrocyanide. Next, a potential difference is applied (by the power source) between working and counter electrodes sufficient to cause diffusion limited electrooxidation of ferrocyanide (converting the ferrocyanide to ferricyanide) at the surface of the working electrode. (About 300 millivolts potential difference is preferred.) The resulting diffusion limited current may be correlated to the amount of glucose in the blood sample.

The preferred reagent formulation, recited above, was optimized for both stability and performance, as reflected by good assay precision, in a glucose assay performed with the above described biosensor strip. Stability studies show that this reagent formulation will have a stability greater than 2 years. A reagent made by the protocol specified above was also stabilized when the included amount of disodium succinate hexahydrate varied from about 1/2% weight/volume of reagent slurry (about 18 and 1/2 millimolar (mM in succinate) to about 1 and 1/2% weight/volume of reagent slurry (about 55 mM in succinate). Further decreasing the amount of disodium succinate in the reagent below about 18 and 1/2 mM will cause further decreases in

reagent stability. These further decreases in reagent stability may be described as a "tailing off" effect, wherein reagent stability decreases until there is little, if any, stability. Increasing the amount of the disodium succinate above about 55 mM in the reagent will further increase reagent stability, but only up to some upper limit where further addition of disodium succinate will not increase stability of the reagent.

The above reagent is stabilized by the inclusion of disodium succinate. Disodium succinate stabilizes both ferricyanide and glucose oxidase, thereby greatly retarding the decomposition of these reagent components and the resulting degradation of the reagent. Although the invention has been illustrated with disodium succinate, compositions that include either ferricyanide or glucose oxidase should also be stabilized by the inclusion of other succinate salts and by the inclusion of succinic acid itself. Stabilization will be observed irrespective of the reagent matrix. The reagent matrix may be an aqueous slurry, as specified in the above protocol before drying of the reagent on the biosensor strip, an aqueous solution, or a dried matrix, such as the above specified reagent after drying on the biosensor strip, or a reagent incorporated into a film, membrane, or porous matrix, such as nylon nonwoven mesh.

20

10

The present invention may be applied to a wide variety of analytical and diagnostic reagents and apparatus that include either glucose oxidase or ferricyanide or both glucose oxidase and ferricyanide. Succinic acid or a salt thereof may be included in the reagents and apparatus described in the following references, the disclosures of which are hereby incorporated by reference, as a reagent stabilizer:

	Nankai et al.,	U.S. Patent No. 4,431,507, issued February
,		14,1984;
•	Nankai et al.,	U.S. Patent No. 5,120,420, issued June 9, 1992;
	Wogoman,	U.S. Patent No. 5,030,310, issued July 9, 1991;
5	Senda et al.,	U.S. Patent No. 4,820,399, issued April 11, 1989;
	Nankai et al.,	U.S. Patent No. 4,897,173, issued January 30,
	•	1990;
	Higgins et al.,	U.S. Patent No. 4,545,382, issued October 8,
	·	1985;
10	Mindt et al.,	U.S. Patent No. 3,838,033,
		issued September 24, 1974
	Nakamura et al.,	U.S. Patent No. 4,224,125,
		issued September 23, 1980;
	Hoenes et al.,	U.S. Patent No. 5,122,244, issued June 16, 1992;
15	Higgins et al.,	U.S. Patent No. 4,711,245,
		issued December 8, 1987;
	Davis et al.,	U.S. Patent No. 4,758,323, issued July 19, 1988;
	Nakamura et al.,	U.S. Patent No. 4,392,933, issued July 12, 1983;
	McNeil et al.,	U.S. Patent No. 4,830,959, issued May 16, 1989;
20	Phillips et al.,	U.S. Patent No. 5,049,487,
•		issued September 17, 1991;
	Takizawa et al.,	U.S. Patent No. 4,894,137,
		issued January 16, 1990;
•	Kawaguri et al.,	U.S. Patent No. 5,171,689,
25		issued December 15, 1992;
	<u>Freitag</u> ,	U.S. Patent No. 4,929,545, issued May 29, 1990;

and

Phillips et al.,

U.S. Patent No. 5,059,394,

issued October 22, 1991.

(In some of these references, glucose oxidase has been cross-linked by chemical treatment (for example, by treatment with glutaraldehyde) or glucose oxidase has been covalently bound to the surface of an electrode. In such cases, the inclusion of succinic acid or a salt thereof may not additionally stabilize the reagent.)

The present invention has been disclosed in the above teachings and drawings with sufficient clarity and conciseness to enable one skilled in the art to make and use the invention, to know the best mode for carrying out the invention, and to distinguish if from other inventions and from what is old.

Many variations and obvious adaptations of the invention will readily come to mind, and these are intended to be contained within the scope of the invention as claimed below.

15

### I claim:

 A process for stabilizing a composition containing glucose oxidase, comprising:

adding a sufficient amount of succinic acid or a salt thereof to the composition to stabilize the composition.

 A process for stabilizing a composition containing ferricyanide, comprising:

adding a sufficient amount of succinic acid or a salt thereof to the composition to stabilize the composition.

3. A process for stabilizing a composition containing glucose oxidase and ferricyanide, comprising:

adding a sufficient amount of succinic acid or a salt thereof to the composition to stabilize the composition.

- The process of claim 3, wherein the concentration of succinic acid or a salt thereof is from about 18 1/2 millimolar to about 55 millimolar.
  - The process of claim 3, wherein the concentration of succinic acid or a salt thereof is about 37 millimolar.
  - 6. The process of claim 4, wherein the succinic acid or a salt thereof is disodium succinate.
- 7. The process of claim 4, wherein the composition includes water, a dispersant and crystallization inhibitor in sufficient amount to form a slurry, and a buffer in sufficient amount to provide and maintain a pH at which glucose oxidase will catalyze the oxidation of glucose.
- 8. The process of claim 7, wherein the composition further includes a surfactant in sufficient amount to aid in rehydrating the composition with an aqueous sample after the slurry has been dried to form a dry

25

- reagent useful for the analysis of glucose in the sample.
- The process of claim 8, wherein the succinic acid or a salt thereof is about 37 millimolar.
- 10. A composition of matter, comprising:
  - glucose oxidase in an aqueous medium, or in a dried matrix; and succinic acid or a salt thereof in sufficient amount to stabilize the composition of matter.
- The composition of claim 10, further comprising:
   a buffer in sufficient amount to provide and maintain a pH at
   which glucose oxidase will catalyze the oxidation of glucose.
  - 12. The composition of claim 11, further comprising: a ferricyanide in sufficient amount to function as a redox mediator in the catalytic oxidation of glucose.
- 13. The composition of claim 12, wherein the glucose oxidase is in the dried matrix and the composition further comprises a surfactant in sufficient amount to aid in rehydrating the composition when an aqueous sample is added to the dried matrix.
  - 14. The composition of claim 12, wherein the glucose oxidase is in the aqueous medium formed by combining water and a dispersant and crystallization inhibitor.
  - 15. The composition of claim 14, further comprising:

A surfactant in sufficient amount to aid in rehydrating the composition with an aqueous sample after the composition has been dried to form a dry reagent useful for the analysis of glucose in the aqueous sample.

16. The composition of claim 11, wherein the concentration of succinic

- acid or a salt thereof is from about 18 1/2 millimolar to about 55 millimolar.
- 17. The composition of claim 14, wherein the concentration of succinic acid or a salt thereof is from about 18 1/2 millimolar to about 55 millimolar.
- 18. The composition of claim 14, wherein the concentration of succinic acid or a salt thereof is about 37 millimolar.
- 19. The composition of claim 18, wherein the succinic acid or a salt thereof is disodium succinate.
- 20. The composition of claim 15, wherein the concentration of succinic acid or a salt thereof is from about 18 1/2 millimolar to about 55 millimolar and the succinic acid or a salt thereof is disodium succinate.

1/2

PCT/US94/07223




FIG. 1




FIG. 2

PCT/US94/07223




FIG. 3

## INTERNATIONAL SEARCH REPORT

International application No. PCT/US94/07223

r			
	ASSIFICATION OF SUBJECT MATTER		
US CL	:C12Q 1/26, 1/54, 1/00; C12N 9/96 :436/8, 14, 18		
	to International Patent Classification (IPC) or to bo	th national classification and IPC	
	LDS SEARCHED	- Internal Committee of the Internal Committ	
	documentation searched (classification system follow	and by place (Casting and L.)	
1		od by classification symbols)	
0.3. :	436/8, 14, 18, 95, 176; 435/14, 28	•	
Documenta	tion searched other than minimum documentation to	the extent that much decrease the	
		uie extent that such documents are include	d in the fields searched
Electronic	data base consulted during the international search (	name of data base and sub-re-	
	the second of th	name of data base and, where practicans	e, search terms used)
	•		
·		•	•
C. DOC	CUMENTS CONSIDERED TO BE RELEVANT		
Category*	Citation of document, with indication, where	someonists of the relevant	
	which which which	-ppropriate, or the relevant passages	Relevant to claim No.
Y	EP, B1, 0 072 581 (DENNY	) 08 APRII 1987 SEE	1-9 12-20
	ABSTRACT.	, 55 (4.4.2 1007) 622	1.0,12-20
		•	
Υ	JP, 57-138389 (KIKUCHI ET AL	.) 26 AUGUST 1982. SEE	1
	TABLE 1.		
	•		
Υ	US, A, 3,886,045 (MEIATTINI)	27 May 1975, cols. 5 and	2-9.12-20
	10.	, , , , , , , , , , , , , , , , , , , ,	- 3/12 23
Y	US, A, 5,185,247 (ISMAIL ET A	L.) 09 February 1993, col.	10.11
٠.	17, example 3.		·
	·		
	••		
Furth	er documents are listed in the continuation of Box (	C. See patent family annex.	
Spe	cial categories of cited documents:	"T" later document published after the inte	mational filing date or priority
A doc	ument defining the general state of the art which is not considered e of particular relevance	date and not in conflict with the application principle or theory underlying the investment of the conflict with the application of the conflict with the conflict with the application of the conflict with the conflict with the conflict with the application of the conflict with t	stion but cited to understand the
	ier document published on or after the international filing date	"X" document of particular relevance; the	claimed invention cannot be
L* docs	ument which may throw doubts on priority claim(s) or which is	considered novel or cannot be conside when the document is taken alone	red to involve an inventive step
cite	d to establish the publication date of another citation or other rial reason (as specified)	"Y" document of particular relevance; the	claimed invention cannot be
O" docu	ament referring to an oral disclosure, use, exhibition or other	considered to involve an inventive combined with one or more other such	step when the document is
mea	uss ument published prior to the international filing date but later than	being obvious to a person skilled in th	e art
the p	priority date claimed	"&" document member of the same patent	family
Date of the a	ctual completion of the international search	Date of mailing of the international sea	rch report
16 SEPTE	MBER 1994	23 SEP 1994	,
<u></u>		20 JEI 100 .	
lame and ma	ailing address of the ISA/US er of Patents and Trademarks	Authorized officer	//
Box PCT		DAVID REDDING A K	usa Ka
wasnington, acsimile No	D.C. 20231 . (703) 305-3230		10
	A/210 (second sheet)(July 1992)*	Telephone No. (703) 308-0196	

# HIS PAGE BLANK (USPTO)